UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/569,869	02/28/2006	Futoshi Nomura	03933.000400.	9753
	7590 12/23/201 CELLA HARPER &	EXAMINER		
1290 Avenue of the Americas			HUANG, CHENG YUAN	
NEW YORK, NY 10104-3800		ART UNIT	PAPER NUMBER	
			1787	
			MAIL DATE	DELIVERY MODE
			12/23/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/569,869	NOMURA ET AL.			
Office Action Summary	Examiner	Art Unit			
	CHENG HUANG	1787			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timuse the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) ☐ Responsive to communication(s) filed on 29 No.  2a) ☐ This action is <b>FINAL</b> . 2b) ☐ This  3) ☐ Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
<ul> <li>4)  Claim(s) 1-5,8-10 and 12-15 is/are pending in table 4a) Of the above claim(s) is/are withdraw</li> <li>5)  Claim(s) is/are allowed.</li> <li>6)  Claim(s) 1-5,8-10 and 12-15 is/are rejected.</li> <li>7)  Claim(s) is/are objected to.</li> <li>8)  Claim(s) are subject to restriction and/or</li> </ul>	vn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the confidence of Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Examine 11).	epted or b) objected to by the Edrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)					
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO/SB/08)</li> <li>Paper No(s)/Mail Date</li> </ol>	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:	ate			

Application/Control Number: 10/569,869 Page 2

Art Unit: 1787

### **DETAILED ACTION**

#### **Continued Examination Under 37 CFR 1.114**

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 29 November 2010 has been entered.

# Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. The factual inquiries set forth in Graham v. John Deere Co., 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - 2. Ascertaining the differences between the prior art and the claims at issue.
  - 3. Resolving the level of ordinary skill in the pertinent art.
  - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Application/Control Number: 10/569,869

Art Unit: 1787

Page 3

- 4. Claims 1-2, 4, 9-10, 12-13 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hingsen-Gehrmann et al. (U.S. Patent Application Publication No. 2002/0142121) in view of Yamamoto et al. (U.S. Patent Application Publication No. 2002/0135735) as evidenced by Arton Property Tables.
- 5. Regarding claims 1 and 3, Hingsen-Gehrmann et al. teaches a retroreflective sheeting (See title) comprising a surface layer (carrier 22, paragraph [0038], Fig. 1) providing a light entering side given that the layer is transparent (paragraph [0065]) light may enter through from at least one side and retroreflective element layer (space coat 33, layer of lenses 34, and lens coat 35, paragraphs [0042]-[0044], Fig. 1), with at least one destructive layer (release layer 32, paragraph [0041], Fig. 1) provided between the surface and retroreflective element layers (Fig. 1). The surface layer of Hingsen-Gehrmann teaches the surface layer of the presently claimed invention since the carrier layer 22 of Hingsen-Gehrmann is, in fact, a surface layer to underlying layers such as reflective layer 31 ([paragraph 0044], Fig. 1). Furthermore, in addition to being identical in structure, the surface layer of Hingsen-Gehrmann and that of the present invention comprise identical materials of acrylic polymers, polyvinyl chloride, polyurethanes, and polystyrene (Hingsen-Gehrmann, paragraph [0065]).
- 6. Hingsen-Gehrmann et al. teaches said destructive layer being polyester or polyacrylate resins (paragraph [0059]) but fails to teach the destructive layer being an alicyclic polyolefin resin or alicyclic acrylic resin.
- 7. However, Yamamoto et al. teaches an optical article (See title) comprising a principal chain hydrocarbon having an adamantine ring or a cyclopentane ring (paragraph [0043]) which are alicyclic polyolefin resins. In addition, Yamamoto et al. teaches the use of polyester or

acrylics (paragraph [0043]), which, in doing so, teaches the functional equivalence between hydrocarbon resins based on cyclical residues and polyester and acrylic resins.

- 8. Since both Hingsen-Gehrmann et al. and Yamamoto et al. teach inventions drawn to optical articles, it would have been obvious to one of ordinary skill in the art at the time of the invention to substitute the hydrocarbon resin-based cyclical residues of Yamamoto et al. in the destructive layer of Hingsen-Gehrmann et al. as a known functional equivalent of polyester and acrylic resins since Yamamoto et al. teaches that various polymers, including polyesters and acrylic resins may be used, along with alicyclic polyolefin resins. Substitution of known components with other components that yield predictable results would have been obvious to one of ordinary skill in the art since predictable characteristics such as optical clarity, toughness, and heat resistance (paragraph [0044]) would have been affected by using alicyclic polyolefin resins or polyester or acrylic resins in the destructive layer of optical articles. See MPEP 2144.06 II.
- 9. The functional limitation "wherein, when the retroreflective sheeting has been applied to a substrate and is removed, peeling takes place at the interface of the destructive layer and the layer which is in intimate contact therewith and/or by destruction of the destructive layer" is considered to define the particular capability of the retroreflective sheeting to be applied to a substrate and the destructive layer to peeling and/or destruct. Since the structure and materials of the retroreflective sheeting of Hingsen-Gehrmann et al. as modified by Yamamoto et al. are identical to those of the presently claimed invention, when the invention is applied to substrate and removed, the peeling would intrinsically take place at the interface of the destructive layer and the layer which is in intimate contact therewith and/or by destruction of the destructive layer as presently claimed. Furthermore, Hingsen-Gehrmann et al. teaches the application of the

retroreflective sheeting to a substrate (substrate 90, paragraph [0072], Fig 2 & Fig. 4) and the subsequent peeling and destruction of the destructive layer (paragraph [0072]).

- 10. Given that the destructive layer of Hingsen-Gehrmann et al. as modified by Yamamoto et al. teaches materials and structure identical to that of the present claim, it is clear that the destructive layer of Hingsen-Gehrmann et al. as modified by Yamamoto et al. intrinsically possesses the claimed peeling strength.
- 11. Regarding claim 2, Hingsen-Gehrmann et al. as modified by Yamamoto et al. teaches a retroreflective sheeting (See title) comprising an adhesive layer (Hingsen-Gehrmann et al., adhesive 21, paragraph [0037], Fig. 1) opposite to said a light-entering side of the retroreflective sheeting (Hingsen-Gehrmann et al., paragraph [0069], Fig. 1).
- 12. Regarding claim 4, Hingsen-Gehrmann et al. as modified by Yamamoto et al. teaches wherein the destructive layer resin is of cyclopentane resins wherein R<sup>1</sup> is hydrogen (Yamamoto et al., paragraph [0047]).
- 13. Regarding claim 9, Hingsen-Gehrmann et al. as modified by Yamamoto et al. teaches wherein the retroreflective sheeting comprises enclosed lens-type or lens-type micro-glass beads (enclosed layer of lenses, paragraphs [0056] and [0055]).
- 14. Regarding claim 10, Hingsen-Gehrmann et al. as modified by Yamamoto et al. teaches wherein the destructive layer is installed between the micro-glass beads and specular reflective layer (.release layer 32, layer of lenses 34, reflective layer 31, respectively, paragraphs [0068] and [0072], Fig. 1).
- 15. Regarding claim 12, Hingsen-Gehrmann et al. as modified by Yamamoto et al. teaches wherein the destructive layer (cyclopentane resin, Yamamoto et al., paragraph [0047]) has glass

transition points (Tg) ranging from 120 to 165°C, as evidenced by Arton Property Tables, and falls within the claimed range of 90 - 190°C.

- 16. Regarding claim 13, given that Hingsen-Gehrmann et al. as modified by Yamamoto et al. teaches the transparency of the reflective layer (transparent high-index reflector materials, Hingsen-Gehrmann et al., paragraph [0056]), which is the layer underneath the release or destructive layer (Hingsen-Gehrmann et al., paragraphs []), the transparency of the retroreflective sheeting (transparent PSA, transparent carrier films, and transparent holographic layer, paragraphs [0063], [0065], and [0079]), and the transparency of the materials of the destructive layer (transparent Nylon resins, Yamamoto et al., paragraph [0047]; cyclopentane resin as evidenced by Arton Property Tables), it is clear that the destructive layer of Hingsen-Gehrmann et al. is expected to possess the claimed transmission or light.
- 17. Regarding claim 15, Hingsen-Gehrmann et al. teaches the retroreflective sheeting is applied to said substrate (substrate 90, paragraph [0072], Fig 2 & Fig. 4).
- 18. Claims 5 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hingsen-Gehrmann et al. (U.S. Patent Application Publication No. 2002/0142121) in view of Yamamoto et al. (U.S. Patent Application Publication No. 2002/0135735) and further in view of Koike (U.S. Patent No. 6,201,045).
- 19. Hingsen-Gehrmann et al. as modified by Yamamoto et al. is relied upon as disclosed above.
- 20. Hingsen-Gehrmann et al. fails to teach wherein the destructive layer is a methacrylic acid ester resin or alicyclic acrylic resin as claimed.

Application/Control Number: 10/569,869

Art Unit: 1787

21. However, Koike et al. teaches an optical resin material (col. 4, lines 59-64) comprising a methacrylic acid ester resin or alicyclic acrylic resin (tricyclodecanyl methacrylate, col. 10, lines 13-14).

Page 7

- 22. It would have been obvious to one of ordinary skill in the art at the time of the invention to use methacrylic acid ester resin or alicyclic acrylic resin for the destructive layer of Hingsen-Gehrmann et al. as modified by Yamamoto et al. given the transparency, heat resistance, and mechanical strength of the resins (Koike et al., col. 10, lines 1-9).
- 23. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hingsen-Gehrmann et al. (U.S. Patent Application Publication No. 2002/0142121) in view of Yamamoto et al. (U.S. Patent Application Publication No. 2002/0135735) and further in view of Nito et al. (U.S. Patent No. 5,659,411), or alternatively, Suzuki et al. (U.S. Patent No. 7,582,355).
- 24. Hingsen-Gehrmann et al. as modified by Yamamoto et al. is relied upon as disclosed above.
- 25. Hingsen-Gehrmann et al. fails to teach wherein the destructive layer resin is poly-1,3-cyclohexadiene resin or polycyclohexane resin.
- 26. However, Nito et al. teaches an optical resin material (col. 1, lines 7-13, col. 38, lines 25-28) comprising a polycyclohexane resin (polycyclohexane terephthalate, col. 38, line 49).
- 27. It would have been obvious to one of ordinary skill in the art at the time of the invention to choose polycyclohexane resin for the destructive layer of Hingsen-Gehrmann et al. as

modified by Yamamoto et al. given the transparency of the resin (Nito et al., col. 38, lines 35-38).

- 28. Alternatively, Suzuki et al. teaches an optical unit (See Title, col. 43, lines 24-26) comprising poly-1,3- cyclohexadiene (col. 43, lines 32-33).
- 29. It would have been obvious to one of ordinary skill in the art at the time of the invention to choose poly-1,3- cyclohexadiene for the destructive layer of Hingsen-Gehrmann et al. as modified by Yamamoto et al. for low birefringence and water absorbency but high dimensional stability (Suzuki et al., col. 43, lines 26-28).

# **Response to Arguments**

- 30. Applicant's arguments filed 29 November 2010 have been considered but are moot in view of the new ground(s) of rejection.
- 31. Applicants added new claim 15.
- 32. Applicant argues that the sheet of Yamamoto with its protective, structural, and light-controlling functions do not teach or suggest the destructive layer of the present invention.
- 33. However, it is the Examiner's position that there is motivation to combine Hingsen-Gehrmann et al. with Yamamoto et al. given that Hingsen-Gehrmann et al. teaches said destructive layer being polyester or polyacrylate resins (paragraph [0059]) but fails to teach the destructive layer being an alicyclic polyolefin resin or alicyclic acrylic resin and that Yamamoto discloses teaches an optical article (See title) comprising a principal chain hydrocarbon having an adamantine ring or a cyclopentane ring (paragraph [0043]) which are alicyclic polyolefin

Application/Control Number: 10/569,869

Art Unit: 1787

acrylic resins.

resins and the use of polyester or acrylics (paragraph [0043]), which, in doing so, teaches the functional equivalence between hydrocarbon resins based on cyclical residues and polyester and

Page 9

- 34. Since both Hingsen-Gehrmann et al. and Yamamoto et al. teach inventions drawn to optical articles, it would have been obvious to one of ordinary skill in the art at the time of the invention to substitute the hydrocarbon resin-based cyclical residues of Yamamoto et al. in the destructive layer of Hingsen-Gehrmann et al. as a known functional equivalent of polyester and acrylic resins since Yamamoto et al. teaches that various polymers, including polyesters and acrylic resins may be used, along with alicyclic polyolefin resins. Substitution of known components with other components that yield predictable results would have been obvious to one of ordinary skill in the art since predictable characteristics such as optical clarity, toughness, and heat resistance (paragraph [0044]) would have been affected by using alicyclic polyolefin resins or polyester or acrylic resins in the destructive layer of optical articles. See MPEP 2144.06 II.
- 35. Applicant argues that given that claim 1 "explicitly specifies a particular peeling strength and a particular result that is obtained", the limitation of the destructive layer being "applied to a substrate and is removed..." is not merely intended use.
- 36. However, in light of the use of the term "when", the Examiner's position remains regarding the recited limitation in the second paragraph of claim 1 being a functional limitation or intended use. Moreover, Hingsen-Gehrmann et al. teaches the application of the retroreflective sheeting to a substrate (substrate 90, paragraph [0072], Fig 2 & Fig. 4) and the subsequent peeling and destruction of the destructive layer (paragraph [0072]).

Application/Control Number: 10/569,869 Page 10

Art Unit: 1787

37. Applicant argues that the peeling strength is not taught or suggested by neither Hingsen nor Yamamoto.

38. However, as disclosed in the rejection above, given that the destructive layer of Hingsen-Gehrmann et al. as modified by Yamamoto et al. teaches materials and structure identical to that of the present claim, it is clear that the destructive layer of Hingsen-Gehrmann et al. as modified by Yamamoto et al. intrinsically possesses the claimed peeling strength.

#### Conclusion

- 39. Any inquiry concerning this communication or earlier communications from the examiner should be directed to CHENG YUAN HUANG whose telephone number is (571) 270-7387. The examiner can normally be reached on Monday-Thursday from 8 AM to 4 PM.
- 40. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Callie Shosho, can be reached at 571-272-1123. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

Application/Control Number: 10/569,869 Page 11

Art Unit: 1787

like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/C. H./

Cheng Yuan Huang

Examiner, Art Unit 1787

December 17, 2010

/Callie E. Shosho/ Supervisory Patent Examiner, Art Unit 1787